

YOU
SEEEIN'
THIS?



YOUR FIELD GUIDE



Inside *Nocs*

- 01 Who we are
- 02 What we are about

Spring 2027 *Seasonal Big Ideas*

- 03 Welcome to Nocs workbook
- 05 Awards
- 07 Color Lifecycle
- 09 Nocs x Audubon

NEW Portal *AFN7*

- 13 Portal Camera

The Standard *Series*

- 19 Standard Issue Binocular
- 23 Zoom Tube Monocular

The Field *Series*

- 29 Field Issue 32
- 33 Field Issue 42
- 37 Field Tube Monocular

The Pro *Series*

- 43 Pro Issue 42

The Zero *Series*

- 49 NEW Zero Issue
- 53 Zero Tube

NEW Factory *Series*

- 57 Factory Issue 42

Spotting *Scopes*

- 65 Lite View
- 69 Long View

Field System *Accessories*

- 75 Photo Rig
- 76 Inspector Microscope
- 77 Polarizing Filter
- 78 Lens Cleaning kit

Carry *Gear*

- 81 Pouches
- 82 Tube Caddy
- 83 NocLoc Straps

Our *Tripods*

- 93 Tripod
- 94 Tripod Adapter

Optics *Overview*

- 97 F26/S27 Overview
- 99 Merchandising Tools
- 104 How to buy Optics 101
- 105 Binocular Anatomy
- 107 Comparison Framework
- 109 Optical Specifications

WHO WE ARE

Nocs builds tools that help people notice more of the natural world. **Not bigger adventures, just better ones. The kind that happen when you actually look closer.**

Curiosity starts with paying attention. Birds overhead. Movement on the water. Light shifting across a landscape. When you notice the details, moments feel richer, more personal, and a lot more memorable. And when people experience it that way, **they care more about it.**

Nocs was born at the Citadel of Excitement with a simple idea: make binoculars **easy enough to bring everywhere and good enough to actually use everywhere.** Tools to check the surf, spot wildlife, or see what your raccoon neighbors are up to at night.



WHAT WE ARE ABOUT

We build tools that help people notice the details of the natural world, because when people notice more, they care more. That belief shows up in how we build, who we partner with, and how we give back, including our **commitment to 1% for the Planet and organizations advancing conservation and outdoor equity.**

Help People Notice More

The outdoors shouldn't feel technical or exclusive. Nocs products are designed to be intuitive, approachable, and easy to bring anywhere, so **more people can go from curious to actually looking closer**, whether that's in a city park or deep in the backcountry.

Remove Barriers To Exploration

Built For Real Life Outside

Nocs products are tools, not jewels. **They're built to be used hard and to hold up when it matters, backed by our No-Matter-What™ Lifetime Warranty.** We design with durability in mind and responsibility too, using plastic-free packaging and working to reduce and offset our impact.



We build for everyday curiosity. **The more you notice, the more you see.** And the more you see, the more it sticks with you. From birding and hiking to travel, concerts, and just being outside, **Nocs helps people catch what most would otherwise miss.**

Inspired by life near the coast, our design language reflects that edge where **land meets water and there's always something just out of view.** Our products are built tough for real life outside, and our packaging is plastic-free.



Welcome to the *Nocs Provisions Workbook*

We are stoked to provide optics built to be brought on every adventure—not left sitting on a shelf. From those in early flirtations with nature to the ones already glassing at first light, Nocs tools help people experience the outdoors a little more closely.

Seasonal *Big Ideas*

This season is built around three ideas that define where Nocs is going next: tools that keep you present in the moment, optics you actually bring everywhere, and next-generation clarity for people who depend on seeing every detail.



Three ways we're pushing observation forward in Spring 2027

Products Built for Presence

Products designed to capture and experience the moment without pulling you out of it.

Ultralight & Indispensable

Premium optics built so light and capable you actually bring them everywhere—because the best optics are the ones you actually carry.

Next-Generation Optics

Elite optical performance designed for people who demand precision, supreme clarity, and maximum detail in the field.

NEW PRODUCTS

ZERO ISSUE
25 MM



Ultralight binoculars with premium optical performance, built for fast-moving days—when you need a more immersive way to see.

PORTAL
AFN7



A waterproof adventure camera that captures the memory without distracting from the moment.

FACTORY ISSUE
42 MM



A next generation optical experience, built for elite birders who demand clarity, precision, and reliability in the field.



AWARD WINNING PRODUCTS

NATIONAL GEOGRAPHIC



Field Issue 8x32

BEST FOR BIRD WATCHING

GEARJUNKIE



Pro Issue 8x42

BEST OVERALL

WIRED



Standard Issue 8x25

BEST FOR KIDS


GEARJUNKIE



Field Tube 8x32

BEST MONOCULAR

BEST FIELD OF VIEW IN THE INDUSTRY



WIDEN YOUR HORIZONS

Ultra wide field of view

A 429 foot field of view (8x@1000yds) with no distortion across the field – this is a new level of peripheral vision for a binocular in this class. It’s as if the binocular housing simply disappears from sight while in use.

NO MATTER WHAT WARRANTY



We want to ensure that you have properly functioning equipment, no matter where or when you received your gear!

The Nocs Provisions No-Matter-What™ Lifetime Warranty ensures that regardless of the circumstances, your binoculars are protected. This warranty provides comprehensive coverage for any defects in materials or workmanship, guaranteeing that your NOCS will be repaired or replaced at no additional cost.

With the “No Matter What” lifetime warranty, you can have peace of mind knowing that your investment is safeguarded against unforeseen issues or manufacturing flaws.

We stand by our product and we are committed to providing you with reliable and durable binoculars and monoculars.

If you have any trouble with your Nocs product, please reach out directly to yo@nocsprovisions.com

WE’VE GOT YOUR BACK.



COLOR LIFECYCLE CATEGORIZATION

Core

Foundational colors. Always in the line, usually replenish-able.



Seasonal

Rotational colors that stay in the assortment longer than a trend but won't last the entire life of the product. Plan to bring them in confidently, knowing you'll have multiple seasons of sell-through, but will eventually be retired. Great for freshness without high risk.



Trend

Fast-moving, fashion-driven colors. They create newness and excitement, but they won't be around long. Place orders early, commit to your forecast, and don't count on long-term replenishment. Ideal for driving urgency and capturing attention.



Limited

Exclusives with a one-and-done run. When they're gone, they're gone. Buy with urgency, plan for quick sell-through, and use them as traffic drivers or special promotional opportunities. The objective is to capture excitement with something special.




*KEEPING THOSE
TOP TONES
LOCKED IN!*



ICONOGRAPHY

Legend

- S27** Going live Spring 2027
- F26** Going live Fall 2026
- LTD** Limited edition



A woman with extensive black ink tattoos on her arms and shoulder is leaning over a boat railing, looking towards the left. She is wearing a black tank top and a necklace. Behind her, a man wearing a grey hoodie and a cap is holding a silver camera up to his eye, also looking in the same direction. The background shows a wide body of water with a city skyline in the distance, including a prominent tall skyscraper. The sky is overcast and grey. The overall mood is one of candid observation and travel.

Portal AFN7

CAPTURE

*WHAT YOU NOTICE, WITHOUT MISSING
THE MOMENT.*



Portal AFN7

Adventure Camera

Portal is a different kind of adventure camera built to capture a moment without pulling you out of it.

Waterproof, durable, and intentionally simple, it's made **to go anywhere and be used by anyone**—from first-time adventurers to seasoned outdoor obsessives. Designed **to stay out of the way while encouraging people to engage more deeply with what's around them**, Portal transports moments outside into lasting memories. It's a natural extension of the Nocs system—and a can't-miss tool for anyone spending time outdoors.



Waterproof Camera

Core Features

Portal was shaped in the field.

Built to **remove the friction between experiencing something and capturing it**. Every feature is there to keep you present while making it easy to hold onto what you notice.



-  **Adventure Ready Build**
Ultramatter frame with signature Nocs Toughwave™ armored grip.
-  **Waterproof + Fogproof**
Submersible up to 3ft, nitrogen sealed to prevent condensation.
-  **Intuitive, Tactile Controls**
Simple, physical controls for fast, instinctive shooting.
-  **Distraction-Free Capture**
Screenless design keeps you in the moment, not behind a screen.
-  **Intentional Image-Making**
Film-inspired color profiles with flexible photo + video modes.
-  **No-Matter-What™ Warranty**

“The form of the Portal is a reflection of the art of photography, stripping back layers and distractions that get between a human and the moment they are in. The shape lends itself to being easy to use, and the waterproof housing means this thing can go anywhere.”

- Chris, Nocs Provisions Founder

Portal AFN7

Adventure Camera



Galapagos Gray
(NOC-PTL-AFN7-GGG)
CORE




Lassen Black
(NOC-PTL-AFN7-LAB)
CORE

Portal AFN7

Adventure Camera



Moonwalk White
(NOC-PTL-AFN7-MWW)
CORE



SPECIFICATIONS

SENSOR	1/3.06" CMOS
RESOLUTION	16MP / 4K UHD at 30fps
OUTPUT	JPEG / MP4
FOCAL LENGTH	22.5 mm equivalent
FOCUS RANGE	Fixed, 1m -> ∞
APERTURE	f/2.2
SHUTTER SPEED	1/1000s - 1/30s
ISO	Up to 1600
ZOOM	8x Digital Zoom
LENS ARRAY	6 pieces
VIEWFINDER	Digital
DISPLAY	Menu Navigation Only, OLED 0.96 inch
FLASH	LED
IMAGE FILTERS	7 Photo and Video Presets Portal 64 - Refined and subtle Natur XP - Increased vividness and contrast Solgata 200 - Warm tones NP Posi. - High contrast with punch NP Lomo - Hue shift B&W - Monochrome nofilter - Base JPEG with minimal processing
MEMORY	4GB Micro SD Included / Expandable to 128GB
BATTERY	Rechargeable Li-ion 800 mAh (Non-removable, Sealed)
BATTERY LIFE	Up to ~500 photos per charge ~30-35 minutes of continuous 4K recording
CHARGING INTERFACE	USB-C
CONNECTIVITY	USB-C
CAPTURE MODES	Single-shot still image (JPEG) Continuous recording (MP4)
WATERPROOF RATING	IPX7 (1 m / 30 min)
DIMENSIONS	122 mm x 73 mm x 44 mm / 4.8 in x 2.9 in x 1.7 in
HEIGHT	73 mm / 2.9 in
WEIGHT	140 g / 4.9 oz
TRIPOD COMPATIBLE	FALSE



A man and a woman are standing in a field of tall, dry grass. The man, on the left, is wearing a grey sweater, a white cap with an orange brim, and sunglasses. The woman, on the right, is wearing a white long-sleeved shirt and white pants, and is holding a pair of binoculars to her eyes. The background is a bright, hazy landscape with a body of water visible in the distance.

Standard Series

BUILT FOR *CURIOSITY IN ITS MOST* **NATURAL FORM**

The Standard Series is where most people begin their Nocs journey. These are tools designed to be easy to pick up, easy to use, and easy to bring anywhere—whether it's a backyard bird sighting, a hike with friends, or a spontaneous moment worth a closer look. Durable, waterproof, and unimimidating, the Standard Series removes the friction from getting outside and noticing more.

Standard Issue

25 mm Binoculars


8X25

10X25

Compact. Simple. Everyday READY.

Everyday exploring made easy. Standard Issue 25 is a compact, waterproof binocular built for curiosity anywhere—from backyard moments to spontaneous adventures outside. Simple, capable, and easy to use, it's **designed to remove the friction from getting closer to what's around you.**

The rugged **no-slip grip** keeps these binos protected and comfortable in-hand no matter what you (or Mother Nature) throw at them. Built to roam with confidence, they're waterproof and fogproof so **you never miss a moment of magic.**



Best Binoculars For Kids

"You get good magnification, with a waterproof (IPX7 rating) and fogproof design in a lightweight package (11.8 ounces). These also have two things that specifically make them great for kids: rugged construction and a nice, rubberized grip. I can't tell you how many trees and rocks these have bashed into while around my son's neck, and they're still as good as new."


- Wired





Precision Optics

Core Features

8x/10x Optical Zoom

The equivalent of a 400mm / 500mm camera lens for your eyeballs.



-  **Waterproof + Fogproof**
Submersible up to 3ft, nitrogen sealed to prevent condensation.
-  **Fully Multi Coated Lenses**
Provides both anti-reflection for a bright, crisp image and anti-scratch resistance.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **Snap A Photo**
Built to make snapping a photo with your smartphone easy.
-  **No-Matter-What™ Warranty**

Standard Issue 25 mm Binoculars

8X25



Charcoal Black
(NOC-STD-CHR)
SEASONAL



Alpaca Purple
(NOC-STD-ALP)
SEASONAL



Glacial Blue
(NOC-STD-BL2)
SEASONAL



Cobalt Blue II
(NOC-STD-BL3)
CORE



Poppy Orange II
(NOC-STD-OR2)
CORE



Cypress Green II
(NOC-STD-GN3)
CORE

SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	3.2 mm
FIELD OF VIEW	119 m @ 1000 m / 357 ft @ 1000 yds (6.8°)
CLOSE FOCUS	4 m / 13 ft
NUMBER OF LENSES	6 pieces / 4 groups
LENS COATING TYPE	Fully Multi-Coated
PRISM TYPE	Roof / Bak4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±3°, Right Eye
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	10 mm / 0.4 in
INTERPUPILLARY DISTANCE	60 mm - 74 mm, 2.35 in - 2.9 in
DIMENSIONS	115 mm x 108 mm x 43 mm / 4.53 in x 4.25 in x 1.69 in
HEIGHT	45 mm / 1.77 in
WEIGHT	336 g / 11.85 oz
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	10.24
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig
RESOLUTION	203 mm / 8 in

Standard Issue 25 mm Binoculars

10X25

F26



Sarcodes Red
(NOC-STX-SAR)
SEASONAL



Celeste Blue
(NOC-STX-CEL)
SEASONAL



Beeswax Yellow
(NOC-STX-BEE)
CORE



Pacific Blue II
(NOC-STX-BL2)
CORE


SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	2.5 mm
FIELD OF VIEW	105 m @ 1000 m / 315 ft @ 1000 yds (6.0°)
CLOSE FOCUS	4 m / 13 ft
NUMBER OF LENSES	6 pieces / 4 groups
LENS COATING TYPE	Fully Multi-Coated
PRISM TYPE	Roof / Bak4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±3°, Right Eye
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	10 mm / 0.4 in
INTERPUPILLARY DISTANCE	60 mm - 74 mm, 2.35 in - 2.9 in
DIMENSIONS	115 mm x 108 mm x 43 mm / 4.53 in x 4.25 in x 1.69 in
HEIGHT	45 mm / 1.77 in
WEIGHT	336 g / 11.85 oz
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	5.76
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig
RESOLUTION	203 mm / 8 in



Zoom Tube 32mm Monoculars

8X32



Quick. Powerful. Grab-and-go.

Serious zoom made simple. Zoom Tube 32 is a powerful, easy-to-use monocular built for quick checks and one-handed viewing on the move. Compact and lightweight, it delivers clear, zoomed-in detail without slowing you down—perfect for spontaneous moments when you want a closer look. The rugged no-slip grip.

Keeps it protected and comfortable in-hand no matter what you (or Mother Nature) throw at it. Built to roam with confidence, it's waterproof and fogproof so you're always ready to see what's out there.



See More, Enjoy More

“used to keep it on the windowsill for the hopeful spotting of downy woodpeckers and northern cardinals, which is, admittedly, pretty nerdy. But now that trails have dried up and the peaks are ice-free, I’ve begun carrying it in my hiking backpack any time I venture into the woods. It fits in a water bottle pocket — hell, it fits in my shorts pocket ”

- Gear Patrol

Precision Optics Core Features

Compact and Built to Roam

Nature doesn't wait around for you to have optics at hand—so good thing the Zoom Tube is never far from reach. With compact housing and water resistance, you can bring your glass on any adventure.



-  **Bak4 Prisms**
Highest quality Pro prism made of superior optical glass to produce clearer images.
-  **Water Resistant**
A bright and crystal clear image, no matter the time of day.
-  **Fully Multi Coated Lenses**
Provides both anti-reflection for a bright, crisp image and anti-scratch resistance.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **Snap A Photo**
Built to make snapping a photo with your smartphone easy.
-  **No-Matter-What™ Warranty**

Zoom Tube

32mm Monoculars

8X32




Juniper Green II
(NOC-ZTU-GN2)
CORE



Indigo Blue II
(NOC-ZTU-BL4)
CORE



International Orange
(NOC-ZTU-OR2)
CORE




Zoom Tube

32mm Monoculars

8X32



Ember Red
(NOC-ZTU-EMR)
SEASONAL



Frost Purple
(NOC-ZTU-FRP)
SEASONAL



Tourmaline Black
(NOC-ZTU-TOB)
SEASONAL



SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	32 mm
EXIT PUPIL DIAMETER	4 mm
FIELD OF VIEW	131 m @ 1000 m / 384 ft @ 1000 yds (7.3°)
CLOSE FOCUS	3 m / 10 ft
NUMBER OF LENSES	4 pieces / 2 groups
LENS COATING TYPE	Fully Multi-Coated
PRISM TYPE	Roof / BaK4
WATERPROOF RATING	IPX4 - OK in a drizzle
FOGPROOFING	No
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	13.6 mm / 0.5 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	126 mm x 69 mm x 47 mm / 4.96 in x 2.72 in x 1.85 in
HEIGHT	69 mm / 2.72 in
WEIGHT	215 g / 7.6 oz
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	9
COMPATIBLE ACCESSORIES	Inspector Microscope, Woven Wrist Strap, Photo Rig, Tripod
RESOLUTION	178 mm / 7 in





Field Series

BUILT FOR *THOSE WHO WANT* **FULL SIZE OPTICS**

The Field Series is built for those who want a more immersive, higher-clarity experience without stepping into bulky, full-size optics. It delivers brighter, sharper viewing for longer days outside—while maintaining the compact, packable form that defines Nocs. Like every product in the line, it's built to handle real conditions, with the same rugged durability and all-weather reliability you can trust in the field.

Field Issue

32 mm Binoculars

8X32

10X32

Lightweight. Capable. All-day clarity.

Refined optical clarity in a lightweight, **all-day field binocular built for movement**. Field Issue 32 delivers upgraded viewing performance in a compact form that's **easy to bring anywhere—serious enough for the field, light enough for long days outside**.

Designed to balance clarity and packability, it's the optic you reach for when you want to go deeper without carrying more. The rugged no-slip grip keeps these binos protected and comfortable in-hand no matter what you (or Mother Nature) throw at them. **Built to roam with confidence**, they're waterproof and fogproof so you never miss a moment of magic.



Best Binoculars For Bird Watching

"Nocs' Field Issue binoculars are affordable, compact, and waterproof to a depth of about three feet, according to the company. The Audubon Society loans Field Issue binoculars during events for their ease of use, ruggedness, and good magnification."

-National Geographic




Precision Optics

Core Features

Edge to edge clarity.

Multilayer phase-correction coatings applied to prism surfaces ensure accurate image contrast and prevent unwanted interference effects. While all our optics have fully multi coated lenses, the Field Issue extends these coatings to the prisms for maximum brightness and clarity.



8x/10x Optical Zoom

The equivalent of a 400mm / 500mm camera lens for your eyeballs.



Waterproof + Fogproof

Submersible up to 3ft, nitrogen sealed to prevent condensation.



HiFi Fully Multi Coated

Provides both anti-reflection for a bright, crisp image and anti-scratch resistance.



ToughWave™ Rubber Armor

A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.



Snap A Photo

Built to make snapping a photo with your smartphone easy.



No-Matter-What™ Warranty

Field Issue 32 mm Binoculars

8X32



Lichen Green
(NOC-FLD-LIG)
SEASONAL



Allen's Hummingbird
(NOC-FIB-AHO)
Audubon Limited Edition



Coral Red
(NOC-FLD-RED)
CORE



Corsican Blue
(NOC-FLD-BLU)
CORE

SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	32 mm
EXIT PUPIL DIAMETER	4 mm
FIELD OF VIEW	130 m @ 1000 m / 387 ft @ 1000 yds (7.4°)
CLOSE FOCUS	2.8 m / 9.3 ft
NUMBER OF LENSES	6 pieces, 4 groups (per side)
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	16.8 mm / 0.7 in
INTERPUPILLARY DISTANCE	53 mm - 72 mm / 2.08 in - 2.83 in
DIMENSIONS	124 mm x 112 mm x 49 mm / 4.9 in x 4.4 in x 1.9 in
HEIGHT	49 mm / 1.9 in
WEIGHT	473 g / 16.7 oz
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	16
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, TRIPOD ADAPTER
RESOLUTION	172 mm / 6.8 in

Field Issue 32 mm Binoculars

10X32



Ponderosa Green
(NOC-FLX-GN1)
SEASONAL



Spicy Yellow
(NOC-FLX-SPY)
SEASONAL



Marianas Blue
(NOC-FLX-MAR)
CORE



SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	32 mm
EXIT PUPIL DIAMETER	3.2 mm
FIELD OF VIEW	106 m @ 1000 m / 315 ft @ 1000 yds (6°)
CLOSE FOCUS	2.8 m / 9.3 ft
NUMBER OF LENSES	6 pieces, 4 groups (per side)
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	16.8 mm / 0.7 in
INTERPUPILLARY DISTANCE	53 mm - 72 mm / 2.08 in - 2.83 in
DIMENSIONS	124 mm x 112 mm x 49 mm / 4.9 in x 4.4 in x 1.9 in
HEIGHT	49 mm / 1.9 in
WEIGHT	473 g / 16.7 oz
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	10.24
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, TRIPOD ADAPTER
RESOLUTION	172 mm / 6.8 in

Field Issue

42 mm Binoculars

8X42

10X42


Bright. Immersive. Field-ready.

Full-size clarity and low-light performance in the **most compact full-size binocular ever made**. Field Issue 42 delivers upgraded observation power without sacrificing the size and packability you expect from Nocs—**serious enough for the field, compact enough for all-day glassing missions**. Designed to gather more light for brighter, sharper detail in changing conditions, it brings a more immersive viewing experience wherever you go.

The rugged no-slip grip keeps these binos protected and comfortable in-hand no matter what you (or Mother Nature) throw at them. Built to roam with confidence, they're waterproof and fogproof so **you never miss a moment of magic**.

"Way f\$#&ing better than my [REDACTED]"

- Forrest Galante



Precision Optics

Core Features

Most compact full-size binocular ever

A 394-foot field of view (8x @1000yds) that is distortion free across the field — this is a new level of peripheral vision for a binocular in this class. It's as if the binocular housing simply disappears from sight while in use.



8x/10x Optical Zoom

The equivalent of a 400mm / 500mm camera lens for your eyeballs.



Waterproof + Fogproof

Submersible up to 3ft, nitrogen sealed to prevent condensation.



HiFi Fully Multi Coated

Provides both anti-reflection for a bright, crisp image and anti-scratch resistance.



ToughWave™ Rubber Armor

A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.



Snap A Photo

Built to make snapping a photo with your smartphone easy.



No-Matter-What™ Warranty

Field Issue 42 mm Binoculars

8X42



Jade Green
(NOC-FLD-0842-JAG)
SEASONAL



Crested Caracara
(NOC-FIB-0842-CCB)
Audubon Limited Edition



Citrine Yellow
(NOC-FLD-0842-CTY)
SEASONAL



Eddy Blue
(NOC-FLD-0842-EDB)
CORE

Field Issue 42 mm Binoculars

10X42



Neptune Blue
(NOC-FLD-1042-NTB)
SEASONAL



Anna's Hummingbird
(NOC-FIB-1042-AHP)
Audubon Limited Edition



Brick Red
(NOC-FLD-1042-BRR)
SEASONAL



Sage Green
(NOC-FLD-1042-SAG)
CORE

SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	5.4 mm
FIELD OF VIEW	130 m @ 1000 m / 394 ft @ 1000 yds (7.5°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	6 pieces, 4 groups (per side)
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	20.4 mm / 0.8 in
INTERPUPILLARY DISTANCE	59 mm - 74 mm / 2.32 in - 2.91 in
DIMENSIONS	136 mm x 123 mm x 59 mm / 5.4 in x 4.8 in x 2.3 in
HEIGHT	59 mm / 2.3 in
WEIGHT	630 g / 1.4 LB
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	27.56
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, TRIPOD ADAPTER
RESOLUTION	> 108 mm / 4.37 in

SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	4.3 mm
FIELD OF VIEW	108 m @ 1000 m / 326 ft @ 1000 yds (6.2°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	6 pieces, 4 groups (per side)
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	14.9 mm / 0.6 in
INTERPUPILLARY DISTANCE	59 mm - 74 mm / 2.32 in - 2.91 in
DIMENSIONS	136 mm x 123 mm x 59 mm / 5.4 in x 4.8 in x 2.3 in
HEIGHT	59 mm / 2.3 in
WEIGHT	630 g / 1.4 lb
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	17.64
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, Tripod Adapter
RESOLUTION	> 108 mm / 4.37 in



Field Tube


32mm Monoculars

8X32 10X32

The waterproof, on-the-move field monocular.

The one eyed complement to the 32mm Field Issue binocular. Y'all asked for a **waterproof monocular that didn't compromise on viewing quality** - so we made one. Built to go everywhere you do, the Field Tube is waterproof with a IPX7 rating and fogproof with nitrogen-filled internal chambers, so you never miss a moment of action.

Featuring an oversized focus wheel for easy one-handed focusing and a rugged no-slip grip, you won't ever want to put it down. Fully multi coated lenses plus a 7 piece (5 group) optical system allows for the best possible viewing experience. Birds, whales, mythical creatures—what will you spot next?



Tiny Gear, Big impact

"The Field Tube is the definition of big fun in a small package. It's one of those rare pieces of gear that will add a lot of joy and utility to anyone's car camping kit."


- Outside Magazine

Precision Optics

Core Features

Waterproof (IPX7) + Fogproof

The Field Tube is submersible for 30 minutes in up to 3 feet of water, earning its IPX7 waterproof grade. Sealed tight with a medical-grade o-ring assembly and injected with nitrogen, these binoculars are impervious to condensation or fog.



Bak4 Prisms

Providing a high contrast, bright and sharp image, any time of day.



Oversized Focus Wheel

For ultra smooth, ultra precise focusing from 9.3ft to infinity.



Fully Multi Coated

Provides both anti-reflection and anti-scratch for a bright, crisp image.



ToughWave™ Rubber Armor

A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.



Snap A Photo

Built to make snapping a photo with your smartphone easy.



No-Matter-What™ Warranty


Field Tube

32mm Monoculars

8X32



S27



Spicy Yellow
(NOC-FTU-SPY)
SEASONAL



Desolation Black
(NOC-FTU-DSO)
SEASONAL



Corsican Blue
(NOC-FTU-BLU)
CORE

Field Tube

32mm Monoculars

10X32



F26



Lupine Blue
(NOC-FTX-LPG)
CORE



F26

Algae Green
(NOC-FTX-ALG)
SEASONAL



Ponderosa Green
(NOC-FTX-GN1)
CORE

SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	32 mm
EXIT PUPIL DIAMETER	4 mm
FIELD OF VIEW	135 m @ 1000 m / 405 ft @ 1000 yds (7.7°)
CLOSE FOCUS	3 m / 9.8 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	16.5 mm / 0.65 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	129 mm x 69 mm x 47 mm / 5.08 in x 2.72 in x 1.85 in
HEIGHT	69 mm / 2.72 in
WEIGHT	240 g / 8.5 oz
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	16
COMPATIBLE ACCESSORIES	Inspector Microscope, Woven Wrist Strap, Photo Rig, Tripod
RESOLUTION	168 mm / 6.6 in

SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	32 mm
EXIT PUPIL DIAMETER	3.2 mm
FIELD OF VIEW	111 m @ 1000 m / 333 ft @ 1000 yds (6.3°)
CLOSE FOCUS	3 m / 9.8 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	15 mm / 0.59 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	129 mm x 69 mm x 47 mm / 5.08 in x 2.72 in x 1.85 in
HEIGHT	69 mm / 2.72 in
WEIGHT	240 g / 8.5 oz
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	10.8
COMPATIBLE ACCESSORIES	Inspector Microscope, Woven Wrist Strap, Photo Rig, Tripod
RESOLUTION	168 mm / 6.6 in

A woman with long dark hair, wearing a dark brown jacket and light blue jeans, is looking through binoculars. To her right, a man wearing a white t-shirt, olive green pants, a blue visor, and a watch is also looking through binoculars. They are standing in a field of tall, dry grass with a blurred background of green hills and a blue sky with light clouds.

Pro Series

BUILT FOR
THOSE WHO PRIORITIZE
MAX FIELD OF VIEW

The Pro Series is built for those who prioritize maximum field of view and absolute image clarity above all else—the closest thing to having hawk eyes. Designed for serious glassing, it delivers expansive, edge-to-edge sharpness and refined detail, even in challenging conditions. Built to roam with confidence, it features rugged durability, a secure no-slip grip, and fully waterproof, fog-proof construction you can trust in the field.

Pro Issue

42 mm Binoculars

8X42


10X42

Uncompromising. Expansive. Precision-driven.

Nocs' no compromise binoculars for unparalleled, pro level performance - the next best thing to having hawk eyes. Featuring an industry leading ultra wide field of view, the Pro Issue binoculars were designed for those who **prioritize image size and quality over all else.**

The rugged no-slip grip keeps these binos protected and comfortable in-hand no matter what you (or humidity, dust, sand, or salt spray) throw at them.

Built to roam with confidence, the Pro Issue is waterproof with a IPX7 rating and fogproof with nitrogen-filled internal chambers, so you never miss a moment of magic.



Best Binoculars Overall 2024

"We're not going to lie, it wasn't easy choosing to have the Pro Issue 42 mm push the Nikon Monarch M5 out of the top spot. But in the end, it was the extended field of view, as well as the close focus range and overall adaptability between activities, that sealed the deal for us."

- Gear Junkie

Precision Optics

Core Features

Industry Leading Ultra Wide Field of View.

A 429 foot field of view (8x @1000yds) with no distortion across the field – this is a new level of peripheral vision for a binocular in this class. It's as if the binocular housing simply disappears from sight while in use.



IPX7 Waterproof + Fogproof

Submersible up to 3ft, nitrogen sealed to prevent condensation.



Broadband Fully Multi Coated

Provides both anti-reflection for a bright, crisp image and anti-scratch resistance.



Phase Coated Bak4 Prism

Providing a crystal clear image with high contrast.



ToughWave™ Rubber Armor

A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.



Snap A Photo

Built to make snapping a photo with your smartphone easy.



No-Matter-What™ Warranty

Pro Issue 42 mm Binoculars

8X42



Harbor Blue
(NOC-PRO-BL2)
CORE



Canopy Green
(NOC-PRO-GN2)
SEASONAL



LTD

Summer Tanager
(NOC-PIB-STR)
Audubon Limited Edition

SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	4.20 mm
FIELD OF VIEW	143 m @ 1000 m / 429 ft @ 1000 yds (8.17°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	8 pieces / 6 groups (per side)
LENS COATING TYPE	Broadband Fully Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±4°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	15 mm / 0.6 in
INTERPUPILLARY DISTANCE	53 mm - 72 mm / 2.17 in - 2.87 in
DIMENSIONS	145 mm x 129 mm x 55 mm / 5.7 in x 5.07 in x 2.16 in
HEIGHT	55 mm / 2.16 in
WEIGHT	680 g / 1.5 lb
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	17.64
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, TRIPOD ADAPTER
RESOLUTION	122 mm / 4.8 in

Pro Issue 42 mm Binoculars

10X42



Talus Gray
(NOC-PRX-GR2)
CORE



Carnelian Orange
(NOC-PRX-OR2)
SEASONAL



SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	5.25 mm
FIELD OF VIEW	143 m @ 1000 m / 429 ft @ 1000 yds (8.17°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	8 pieces / 6 groups (per side)
LENS COATING TYPE	Broadband Fully Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Yes. Nitrogen filled, o-ring sealed
DIOPTR SYSTEM	±4°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	17 mm / 0.7 in
INTERPUPILLARY DISTANCE	53 mm - 72 mm / 2.17 in - 2.87 in
DIMENSIONS	145 mm x 129 mm x 55 mm / 5.7 in x 5.07 in x 2.16 in
HEIGHT	55 mm / 2.16 in
WEIGHT	680 g / 1.5 lb
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	27.56
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Photo Rig, TRIPOD ADAPTER
RESOLUTION	122 mm / 4.8 in

A woman wearing a bright blue puffer jacket and a red beanie is looking through blue binoculars. She is standing on a mountain peak, with a vast, scenic view of a valley and distant mountains under a cloudy sky. She has a large brown backpack on her back.

Zero Series

BUILT FOR
THOSE WHO MOVE FAST
AND CARRY LIGHT

The Zero Series is built for those who move fast and carry light, without giving up the quality of what they see. Designed to deliver immersive, high-performance optics in the most compact, weight-conscious forms in the line, it's made for days where every ounce matters. Whether in your pocket or pack, Zero is the optic you always bring—combining serious clarity with the same rugged durability and all-weather reliability you expect from Nocs.

Zero Issue

25 mm Binoculars

8x25

10x25

Ultralight. Indispensable. Immersive.

Zero Issue 25 delivers premium optical performance in an ultralight binocular built for fast-moving days. Designed for those who want a more immersive way to see without carrying extra weight, it brings serious clarity into an ultra-compact, always-with-you form.

Whether it lives clipped to your pack or around your neck, Zero Issue is the optic you don't think twice about bringing—built tough for rugged conditions and ready for wherever curiosity leads.



Relative Compactness



Field Issue 42

Standard Issue 25

Zero Issue 25



Precision Optics

Core Features

Ultra Compact Dual-Hinge + ED Glass.

The lightest, most compact, and high quality way to see. At 111 mm x 74 mm x 49 mm and 350g, and featuring ED glass they provide the clearest images of the terrain ahead. Built to roam with confidence and attach to packs and belts for quick, secure access.



-  **Dielectric+Phase coated Bak4 Prisms**
Reduces light scattering for sharp, detailed viewing.
-  **Waterproof + Fogproof**
IPX7 rated for submersion up to 1m deep for 30 minutes. Nitrogen-filled internal chambers to prevent internal condensation.
-  **Extra-low Dispersion (ED) Glass**
Improves color accuracy, enhances resolution and contrast.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **Fully Broadband Multi Coated Lenses**
Provides bright, crisp images with enhanced clarity. Anti-reflection and anti-scratch.
-  **No-Matter-What™ Warranty**



Zero Issue

25 mm Binoculars

8X25



Zero Issue

25 mm Binoculars

10X25



SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	3.2 mm
FIELD OF VIEW	19 m @ 1000 m / 357 ft @ 1000 yds (6.8°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTR SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	15.8 mm / 0.65 in
INTERPUPILLARY DISTANCE	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	111 mm x 74 mm x 49 mm / 4.37 in x 2.91 in x 1.93 in
HEIGHT	49 mm / 1.93 in
WEIGHT	350 g
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	10.24
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Approach Neck Strap, Photo Rig
RESOLUTION	≤6.5"

SPECIFICATIONS


POWER	10x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	2.6 mm
FIELD OF VIEW	95 m @ 1000 m / 285 ft @ 1000 yds (5.44°)
CLOSE FOCUS	2.5 m / 8.2 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTR SYSTEM	±3°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	13.7 mm / 0.5 in
INTERPUPILLARY DISTANCE	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	111 mm x 74 mm x 49 mm / 4.37 in x 2.91 in x 1.93 in
HEIGHT	49 mm / 1.93 in
WEIGHT	350 g
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	6.55
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Approach Neck Strap, Photo Rig
RESOLUTION	≤6.5"



Zero Tube

25mm Monoculars

8X25 10X25



Ultralight. Indispensable. Precision-forward.

Zero Tube 25 is the most compact, lightweight optic in the Nocs line—built for fast-moving days when carrying less matters most. Designed for quick access and one-handed use, it delivers bright, sharp clarity in a form you can take anywhere.

Whether clipped to your pack or in your pocket, it's the optic you always bring—combining everyday utility with backcountry-ready durability and all-weather reliability.



Light & small

Full of power

“Being light and small, the monocular fits right in with the daily Iceland kit providing an easy method of scouting the natural features of a landscape or a closer look at wildlife.”

- Chris Burkard



Precision Optics

Core Features

Ultra Compact, ED Glass, + Carry Clip.

Our smallest form factor at 110mm x 40mm, and 205g – and featuring ED glass, makes this the most packable and powerful optic in it's class. Attaches to packs and belts for quick and secure access.



-  **Twist Up Eyecup**
Can be extended or retracted depending on what works best for the user.
-  **Waterproof + Fogproof**
IPX7 rated and nitrogen-filled for reliable performance in all conditions.
-  **Fully Broadband Multi Coated Lenses**
Provides bright, crisp images with enhanced clarity. Anti-reflection and anti-scratch.
-  **Dielectric + Phase coated Bak4 Prisms**
reduces light scattering for sharp, detailed viewing.
-  **Extra-low Dispersion (ED) Glass**
Improves color accuracy, enhances resolution and contrast.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **No-Matter-What™ Warranty**

Zero Tube 25mm Monoculars

8X25


Zero Tube 25mm Monoculars

10X25

F26



Crater Blue
(NOC-OTU-CTB)
CORE



F26



Alpine Green
(NOC-OTU-ALG)
SEASONAL

LTD



Rufous Hummingbird
(NOC-OTU-RHR)
Audubon Limited Edition

S27



Bone Gray
(NOC-OTX-BNE)
SEASONAL



Thistle Purple
(NOC-OTX-THP)
SEASONAL



Ultramarine Blue
(NOC-OTX-ULT)
CORE

SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	3.0 mm
FIELD OF VIEW	140 m @ 1000 m / 420 ft @ 1000 yds (8°)
CLOSE FOCUS	1.5 m / 4.9 ft
NUMBER OF LENSES	10 pieces / 7 groups
LENS COATING TYPE	Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	16.3 mm / 0.64 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	110 mm x 40 mm x 44 mm / 4.33 in x 1.57 in x 1.73 in
HEIGHT	44 mm / 1.73 in
WEIGHT	205 g / 7.2 oz
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	9.77
COMPATIBLE ACCESSORIES	
RESOLUTION	≤7.8"

SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	25 mm
EXIT PUPIL DIAMETER	2.5 mm
FIELD OF VIEW	114 m @ 1000 m / 341 ft @ 1000 yds (6.5°)
CLOSE FOCUS	1.5 m / 4.9 ft
NUMBER OF LENSES	10 pieces / 7 groups
LENS COATING TYPE	Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	16.3 mm / 0.64 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	110 mm x 40 mm x 44 mm / 4.33 in x 1.57 in x 1.73 in
HEIGHT	44 mm / 1.73 in
WEIGHT	205 g / 7.2 oz
TRIPOD COMPATIBLE	No
RELATIVE BRIGHTNESS	6.25
COMPATIBLE ACCESSORIES	
RESOLUTION	≤7.8"

A photograph of two hikers on a rocky mountain peak. The hiker on the left is wearing a blue jacket and a backpack, looking through binoculars. The hiker on the right is wearing a pink jacket and white pants, also looking through binoculars. The background shows a vast, hazy mountain range under a clear sky.

Factory Series

BUILT FOR *THOSE WHO DEMAND* **TOTAL PRECISION**

The Factory Issue 42 represents the most advanced optics Nocs builds—engineered for elite birders and expert observers who rely on uncompromising performance. Designed for edge-to-edge clarity and maximum brightness, it features ED glass, TrueField™ Optical System, and premium BaK4 prisms with advanced coatings. Precision mechanics, CNC-machined touchpoints, and a lightweight magnesium chassis deliver control and durability at the highest level. This is optics without compromise—built to perform, designed to lead, and made to define what comes next.

Factory Issue

42 mm Binoculars


8x42

10x42

Exacting optical engineering. Pinnacle performance.

The Factory Issue 42 represents the most advanced optics Nocs builds—engineered to meet the demands of elite birders and expert observers who rely on absolute precision in the field. Featuring ED glass, TrueField™ Optical Systems for edge-to-edge clarity, and premium BaK4 prisms with advanced coatings, **it delivers exceptional brightness, sharpness, and minimal distortion.**

Precision mechanics, CNC-machined metal touch points, and a lightweight magnesium chassis ensure durability and control at the highest level. **This is a system where no optical detail is overlooked**—built to roam with confidence and finished with Nocs' distinctive industrial design, Factory Issue sets the standard for what optics can be and where Nocs is going next.



Elite Optics

Core Features

TrueField™ Optical System.

ED glass paired with proprietary TrueBoost™ fully multi-coated lenses increases light transmission, enhances color accuracy, and reduces distortion for a brighter, more detailed image. The TrueField™ Optical System uses a 6-lens optical design to maintain edge-to-edge sharpness, delivering a consistent, distortion-free view across the entire field.



Waterproof + Fogproof

IPX7 rated and nitrogen-filled for reliable performance in all conditions.



Magnesium Chassis + Precision Metal Touchpoints

Lightweight, high-strength frame built for stability with CNC-machined metal touchpoints for refined control, durability, and premium in-hand feel.



Silver Dielectric + Phase coated BaK4 Prisms

Reduces light scattering for sharp, detailed viewing.



Extra-low Dispersion (ED) Glass

Improves color accuracy, enhances resolution and contrast.



ToughWave™ Rubber Armor

A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.



TrueBoost™ Fully Broadband Multi Coated Lenses

Our best anti-reflection coating for the brightest, most-accurate image.



No-Matter-What™ Warranty

Factory Issue 42 mm Binoculars

8X42



Griège Gray
(NOC-FAC-0842-GRG)
CORE



Factory Issue 42mm Binoculars

10X42



Moss Silver
(NOC-FAC-1042-MOS)
CORE



SPECIFICATIONS

POWER	8x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	5.27 mm
FIELD OF VIEW	140 m @ 1000 m / 420 ft @ 1000 yds (8°)
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	10 pieces / 7 groups
LENS COATING TYPE	Trueboost™ Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	±4°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	19 mm / 0.75 in
INTERPUPILLARY DISTANCE	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	158 mm x 131 mm x 56 mm / 6.2 in x 5.2 in x 2.2 in
HEIGHT	56 mm / 2.2 in
WEIGHT	697g
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	27.77
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Approach Neck Strap, Photo Rig
RESOLUTION	≤3.89"

SPECIFICATIONS

POWER	10x
OBJECTIVE LENS	42 mm
EXIT PUPIL DIAMETER	4.20 mm
FIELD OF VIEW	114 m @ 1000 m / 345 ft @ 1000 yds (6.6°)
CLOSE FOCUS	1.5 m / 4.9 ft
NUMBER OF LENSES	10 pieces / 7 groups
LENS COATING TYPE	Trueboost™ Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)
FOGPROOFING	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	±4°
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	18 mm / 0.71 in
INTERPUPILLARY DISTANCE	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	158 mm x 131 mm x 56 mm / 6.2 in x 5.2 in x 2.2 in
HEIGHT	56 mm / 2.2 in
WEIGHT	711g
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	17.64
COMPATIBLE ACCESSORIES	Woven Tapestry Strap, Approach Neck Strap, Photo Rig
RESOLUTION	≤3.89"



Spotting Scopes

BUILT FOR
THOSE WHO SEEK
EVERY DETAIL

Nocs Scopes are designed for moments when distance matters—delivering extended reach and deeper detail beyond what binoculars can provide. Built for more stationary viewing, they bring distant subjects into sharp focus with increased magnification and stability. Whether scanning wide landscapes or locking in on a single elusive species, these tools offer a more powerful way to observe. Like every Nocs product, they're built for real conditions, with durable construction and reliable performance you can trust in the field.



Lite View

56mm

9 - 27x56

Portable. Flexible. Adaptable.

Lite View delivers powerful, extended reach in a compact, travel-ready spotting scope built to go anywhere. Equipped with a 9x-27x zoom and 56mm objective lens, it brings distant details into focus without the size and weight of traditional scopes.

Small enough to pack, powerful enough to reveal the moment, it's designed for both handheld use and tripod-mounted viewing when you want to stay a little longer. Built to roam with confidence, Lite View features a rugged, no-slip grip and IPX4 water resistance to handle changing conditions—so you're always ready to see what's out there.








Precision Optics

Core Features

Inline Focus Wheel and Eyepiece Zoom.

The Long View features both an ultra smooth inline body focus wheel and a super precise magnification adjustment on the optics eyepiece. Never take your eyes off that lifer in your scope again with these easy to find and use premium adjustment touchpoints designed to give you the clearest picture possible.



-  **Twist Up Eyecup**
Can be extended or retracted depending on what works best for the user.
-  **Water Resistant**
IPX4 ingress rating means its engineered to protect against most weather: rain, fog, snow.
-  **Fully Multi Coated Lenses**
provides both anti-reflection and anti-scratch for a bright, crisp image.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **No-Matter-What™ Warranty**

Lite View

56mm

9-27X56



Saguaro Green
(NOC-LTV-SAG)
CORE

Ochre Yellow
(NOC-LTV-OCH)
SEASONAL



SPECIFICATIONS

POWER	9-27x
OBJECTIVE LENS	56 mm
EXIT PUPIL DIAMETER	6.2 mm - 2.1 mm
FIELD OF VIEW	78 m - 36 m @ 1000 m / 234 ft - 177 ft @ 1000 yds
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / XDR Prism
WATERPROOF RATING	IPX4 - OK in a drizzle
FOGPROOFING	No
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	18 mm / 0.71 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	192 mm x 120 mm x 68 mm / 7.56 in x 4.72 in x 2.68 in
HEIGHT	120 mm / 4.72 in
WEIGHT	560 g / 1.2 lb
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	38.7 - 4.3
COMPATIBLE ACCESSORIES	Tripod
RESOLUTION	89 mm / 3.5 in

Lite View

56mm

9-27X56



Scrub Jay
(NOC-LTV-SJB)
AUDUBON LIMITED EDITION





Long View


85mm

20 - 60x85

Maximum Reach. Planted. Precision Glassing.

Ever wish you could spot the difference between a spotted towhee and a black-headed grosbeak from 100 yards—or see the delicate droplets on the wings of a Bohemian Waxwing on a cold fall morning? Long View is built for exactly that. With 20x–60x magnification and a large 85mm objective lens, it delivers bright, high-resolution detail for serious, tripod-mounted viewing.

Fully multi-coated lenses and a precision optical system ensure clarity across the zoom range, while a rugged, no-slip grip and waterproof, fogproof construction keep it ready for real conditions. Built to roam with confidence, Long View is made for those who don't want to miss a single detail.







Precision Optics

Core Features

Inline Focus Wheel and Eyepiece Zoom.

The Long View features both an ultra smooth inline body focus wheel and a super precise magnification adjustment on the optics eyepiece. Never take your eyes off that lifer in your scope again with these easy to find and use premium adjustment touchpoints designed to give you the clearest picture possible.



-  **Waterproof (Body Only)**
IPX7 rated and nitrogen-filled for reliable performance in all conditions.
-  **Twist Up Eyecup**
Can be extended or retracted depending on what works best for the user.
-  **Fully Multi Coated Lenses**
provides both anti-reflection and anti-scratch for a bright, crisp image.
-  **ToughWave™ Rubber Armor**
A proprietary rubber armor engineered for durability, extra grip, and protection in real conditions.
-  **No-Matter-What™ Warranty**

Long View 85mm

20 - 60x85



Oxford Blue
(NOC-LGV-OXF)
CORE

Long View 85mm

20 - 60x85



LTD

Audubon Puffin
(NOC-LGV-PFB)
AUDUBON LIMITED EDITION



SPECIFICATIONS

POWER	9-27x
OBJECTIVE LENS	56 mm
EXIT PUPIL DIAMETER	6.2 mm - 2.1 mm
FIELD OF VIEW	78 m - 36 m @ 1000 m / 234 ft - 177 ft @ 1000 yds
CLOSE FOCUS	2 m / 6.6 ft
NUMBER OF LENSES	7 pieces / 5 groups
LENS COATING TYPE	HiFi Fully Multi-Coated
PRISM TYPE	Roof / XDR Prism
WATERPROOF RATING	IPX4 - OK in a drizzle
FOGPROOFING	No
DIOPTER SYSTEM	N/A
EYECUP SYSTEM	Multi Stop Twist Up
EYE RELIEF	18 mm / 0.71 in
INTERPUPILLARY DISTANCE	N/A
DIMENSIONS	192 mm x 120 mm x 68 mm / 7.56 in x 4.72 in x 2.68 in
HEIGHT	120 mm / 4.72 in
WEIGHT	560 g / 1.2 lb
TRIPOD COMPATIBLE	Yes
RELATIVE BRIGHTNESS	38.7 - 4.3
COMPATIBLE ACCESSORIES	Tripod
RESOLUTION	89 mm / 3.5 in





Field System Accessories





BUILT FOR
THOSE GOING
DEEPER

Photo Rig II

Smartphone Adapter

Now capturing a perfect photo or video using your Nocs as a lens is easier than ever.

Core Features

-  **Fits All Binoculars and Monoculars**
Fits a full size range of binos and monos eyepieces
-  **Self Centering Frame**
High stiffness springs center optics and hold fast
-  **Stepped Grip Fit**
Fits 99% of Smartphones with stepped grippers that prevent button presses
-  **High Impact ABS Frame**
Designed for ages of use in the field






Inspector

Microscope

Transform your Nocs monoculars into a field microscope, with a 4x magnification! Turns your 8x monocular into a 32x power microscope. See snow crystals, the eyes of arachnids, the sublime patterns of nature.

Core Features

-  **Field Microscope Adapter**
Fits Field Tube and Zoom Tube Monoculars
-  **4x Magnification Multiplier**
Turns your 8x monocular into a 32x microscope.
-  **“No-Matter-What” Lifetime Warranty™**
Encourages you to get out there and roam with confidence!



A man and a woman are shown in a wooded area, looking through binoculars. The woman, on the left, is wearing a red long-sleeved shirt and has her right arm raised, pointing towards the sky. The man, on the right, is wearing a grey beanie, a dark grey jacket, and a patterned scarf. They are both smiling and looking upwards. The background consists of bare tree branches against a clear blue sky. The overall scene is bright and sunny, suggesting a clear day.

Carry Gear


BUILT FOR
THOSE WHO
CARRY IT ALL

Straps and *Wrist Loops*

Introducing NocLoc! The same woven tapestry straps you love with an upgraded attachment system designed for ease of use and functionality.

The NocLoc Universal Connector system allows you to connect your Nocs Provisions strap to almost any item. Use the lace connectors to attach through d-rings on binoculars, monoculars, and cameras.

You can also attach our straps directly to our line of pouches featuring the NocLoc system to create your own vibe and transition seamlessly from pouch to optics. One strap to rule them all. Load rated to 50 lbs.








NocLoc Tapestry

Neck Strap

Comfortable enough to carry everywhere, with enough flair to actually want to. This stylish woven strap makes the perfect complement to your Nocs binoculars, film camera, or anything else that belongs around your neck for that matter. Featuring NocLoc quick release connectors and reinforced stitching, this strap is built to roam. Choose from a variety of patterns and colors to match your vibe!



Core Features

-  **NocLoc Quick Connect**
Quick to attach, quick to release, the included NocLoc clips make for easy attachment to binoculars, cameras, and NocLoc-ready pouches.
-  **Adjustable G-clips**
Allow you to get the right length.
-  **Woven Cotton Jacquard Pattern**
This strap wears in and gets comfier with time. A woven jacquard material is durable in the elements and ages like fine wine.
-  **Durable and strong polyester base layer**
A nylon reinforced backbone with multiple layers of stitching ensures this strap can support your gear.
-  **“No-Matter-What” Lifetime Warranty™**
Encourages you to get out there and roam with confidence!



Cosmic
(NOC-SP2-CSM)
LIMITED

Flora
(NOC-SP2-FLR)
CORE



Midnight
(NOC-SP2-MID)
SEASONAL

Thicket
(NOC-SP2-TKT)
SEASONAL








NocLoc Approach

Neck Strap

Built for movement, the NocLoc Approach Neck Strap is a lightweight rope strap designed for active days when your binoculars or camera need to stay secure and out of the way. Featuring an integrated cross-body stabilizer strap, it keeps your optics close to your chest while hiking, biking, or scrambling—reducing bounce without limiting access. When it's time to glass, the stabilizer strap quickly detaches, letting your binoculars move freely for comfortable use.



Core Features


-  **NocLoc Quick Connect**
Quick to attach, quick to release, the included NocLoc clips make for easy attachment to binoculars, cameras, and NocLoc-ready pouches.
-  **Adjustable G-clips**
Allow you to get the right length.
-  **Made from durable and strong 8mm woven rope**
With multiple layers of stitching ensures this strap can support your gear.
-  **Integrated Cross-Body Stabilizer Strap**
Keeps binoculars tight to your body during movement, preventing bounce while hiking, biking, or exploring.
-  **“No-Matter-What” Lifetime Warranty™**
Encourages you to get out there and roam with confidence!



Lakeview Blue
(NOC-ROP-LVW)
SEASONAL



Backwoods Green
(NOC-ROP-BKW)
CORE






NocLoc Approach

Wrist Loop

Comfortable enough to carry everywhere, with enough flair to actually want to. This stylish 8 mm rope strap makes the perfect complement to your Nocs binoculars, film camera, or anything else that belongs around your wrist for that matter.



Core Features

-  **NocLoc Quick Connect**
Quick to attach, quick to release, the included NocLoc clips make for easy attachment to binoculars, cameras, and NocLoc-ready pouches.
-  **Made from durable and strong 8mm woven rope**
With multiple layers of stitching ensures this strap can support your gear.
-  **“No-Matter-What” Lifetime Warranty™**
Encourages you to get out there and roam with confidence!

Lakeview Blue
(NOC-WSR-LVW)
SEASONAL



Backwoods Green
(NOC-WSR-BKW)
CORE



Tripods

BUILT FOR
STEADY
GLASSING



Aluminum *Tripod*

Made of lightweight aluminum, this stable and compact tripod is perfect for adventure. 5 sections leg with twist locks make it easy to adjust height. The ball head features a dual-lock design that allows independent adjustment of the ball and panoramic base. Increase stability by adding weight to the center column hook.



Black (NOC-ATP-BLK) CORE

Core Features

- All-aluminum construction is lightweight and durable
- 1/4"-20 threading fits most spotting scopes and cameras
- Oversize rubberized adjustment knobs
- Min Operating Height: 354 mm
- Max Operating Height: 1490 mm
- Weight: 1320g

Tripod *Mount*


Gear up for steadier sights with the Tripod Mount — built from ultra-light, tough-as-nails aluminum to keep up with every wild adventure. Whether you're scanning distant peaks or tracking wildlife from afar, this trusty mount fits most binoculars with standard 1/4" 20 threading, so you can lock in the view and soak up the moment, hands-free.



Black (NOC-TPA-BLK) CORE

Core Features

- All-aluminum construction is lightweight and durable
- 1/4"-20 threading fits most binoculars



Optics Overview

BUILT FOR
THOSE WHO SEE
THE FULL PICTURE





F26/S27 OVERVIEW



Merchandising Tools Available

Let us help consumers spot your optics. We have merchandising solutions for every step of your migration.

Novice Birder: Smaller fixtures and signage providing consumer education and encouraging trial at shelf. Digital assets for online or print.

Got My Eye on This: Larger inventory-holding fixtures to show color and multiple levels of assortment. Staff training on how to confidently sell optics.

Ready for My Big Year: All fixtures, dedicated merchandising support, staff training, potential for in-store birding activation, exclusive signage or giveaways.



ABC's of Sell through

Always
Show color

Nocs are built to stand out. Display a range of colors and get product out of the box—color drives attention, invites interaction, and signals the brand immediately.

Build Good
Better, best

Show a clear progression within the assortment so customers can easily understand trade-offs and step up in performance. This helps guide decision-making and increases average order value.

WINS!
WINS!

Merchandise for interaction. Stand products up vertically where they can be handled, looked through, and experienced—because once people use Nocs, they understand the difference.



Shelf Spec Cards

- Just the facts!
- Easy to print and put in place
- 3.5" x 4" bi-fold



Shelf Talkers

- Silent seller, self-standing
- 8+ designs available
- English or French available
- 5" x 8"



Optical Technology Bi-Fold

- All the technical details for training
- English or French available
- 8" x 9" bi-fold



Table Sign & Wall Sign

- Aluminum composite signs
- Wall Sign: 16" x 9"
- Affixes to wall or slat-wall
- Table Sign: 10" x 6"
- Printed front and back



In-Store Eye Chart

- Post at distance, let customers try your Nocs
- Find the secret messages
- 20" x 16" White PVC
- English or French available



Window Clings

- Tell customers you've got Nocs
- Clear with black lettering
- Easily removable
- 16" x 20"





Product Pedestal

- Elevate your display
- Holds any Nocs model
- Ships flat, easy assembly



Countertop Tester

- Let customers try product with cabled security
- Changeable header card included
- Fits Zoom tube and Standard Issue
- 12.5" wide



Pegboard Tabletop Display

- Holds 6–8 products (all styles, including camera)
- Configurable layout based on assortment
- Security cable compatibility
- 10" W x 22" H
- Ships flat, easy assembly



4x2 Wood Countertop Shelf Display

- Show your colors AND styles!
- Holds 8 units of any Nocs model
- 21.5" tall, 16.5" wide
- Ships flat, easy assembly



Susan Countertop Display

- Holds approx. "12-16 units of binos + monos
- Adjustable shelves, lockable plexiglass doors
- 4-sided, rotates on base
- 21.5" tall, 17" wide
- Ships fully assembled



Glass Tower Display

- Displays 25+ products with storage for 15+ additional
- Adjustable shelves for flexible assortment
- 4-sided glass display for full visibility
- Lockable doors with secure storage below
- 16.5" W x 16.5" D x 66.9" H
- Ships flat, basic assembly required

OPTICS CAN SOUND CONFUSING

BUT DON'T HAVE TO BE

How to buy *Optics 101*

Optics can sound confusing, but don't have to be. Here's a first course to get you into a great pair.

1. Magnification *Is for reach*

Wider, steadier for finding (buy 8x)
More detail, no reach (buy 10x)



2. Objective lens *Is for light gathering*

Everyday, daylight (buy x25)
Special trip, balanced (buy x32)
Brightest, best low light (buy x42)



3. Observation experience *Is how you want to see*

- Everyday Exploration** ● **Standard Series**
Simple, Ready, Go Anywhere
- High-Clarity Compact** ● **Field Series**
Sharper View, Still Compact
- Full-Clarity Viewing** ● **Pro Series**
Brightest View, Maximum Detail
- Ultra Compact Precision** ● **Zero Series**
Ultralight, Premium Clarity
- Pinnacle Optical Performance** ● **Factory Series**
Maximum Clarity, No Compromises
- Long Range Viewing** ● **Scopes**
See Farther, Stay Steady

4. Pick a Color *Yes! Optics come in colors*


Make it yours.





Binocular Anatomy


The objective lens gathers and inverts light, which is then re-inverted by the prisms and magnified by the ocular lens for viewing. The focus wheel adjusts an internal lens to ensure clear focus, and the diopter adjustment compensates for disparities between the left and right eye, ensuring optimal viewing for both. Eyecups twist out.



Binocular Anatomy

Field of view (FOV) refers to the extent of the observable area or space you can see through optics, typically measured in degrees. A wider field of view allows you to see more of your surroundings, while a narrower field of view restricts your vision to a smaller area. Optics with a wide field of view offer several advantages.

They enable you to locate your subject more easily, track moving targets more effectively, and are less likely to amplify any shaking or movement from the user, resulting in a more stable viewing experience. Despite the added magnification, the Pro Issue 10x42 has a wide field of view.



Magnification

Lower Magnification

- Makes it easier to spot the fox against the surroundings due to a wider field of view.
- More stable image in hand.
- Field of view is wider and the Exit Pupil (the amount of light gathering power) is greater.

Higher Magnification

- Allows for detailed examination of facial expressions, fur details, and markings.
- User movements are more exaggerated in hand (shakier).
- Field of view is narrower and the Exit Pupil is smaller (see next panel)



Exit Pupil

8x	● 3.125mm	● 4mm	● 5.25mm
10x	● 2.5mm	● 3.2mm	● 4.2mm
	25mm	32mm	42mm

The binocular exit pupil is crucial when selecting binoculars as it determines the diameter of the light beam reaching your pupil. It's best for the exit pupil to match or slightly exceed your pupil size in the conditions you are in (bright day = smaller pupil, dark evening = larger pupil), to ensure maximum light intake for a brighter and clearer image. A larger exit pupil is advantageous in low-light conditions. To find the exit pupil size, divide the objective lens size by the magnification power.

Optics Product Comparison Framework

Max Clarity + FoV



Pro Issue 42mm
Max Clarity + FoV.

Everyday Exploration



Standard Issue 25mm
Compact, Waterproof, Go anywhere.



Zoom Tube 32mm
Quick looks. Serious Zoom.

Ultra Compact Precision Viewing



Zero Issue 25mm
Ultralight, Immersive viewing.



Zero Tube 25mm
Ultralight, precision viewing

High Clarity Compact



Field Issue 32mm
Best balance of compact + clarity



Field Tube 32mm
Quick spotting, upgraded clarity, waterproof.

Elite Optical Innovation



Factory Issue 42mm
Next-Gen Optical Precision

Full-size clarity Compact



Field Issue 42mm
Brighter view, better in low light, still compact.

Long Range Viewing



Lite View
Portable, flexible, adaptable



Long View
Max reach, planted, precision glassing



Binocular Specifications

Model	STANDARD ISSUE 8x25	STANDARD ISSUE 10x25	FIELD ISSUE 8x32	FIELD ISSUE 10x32	FIELD ISSUE 8x42
OBJECTIVE LENS Ø	25 mm	25mm	32 mm	32 mm	42 mm
EXIT PUPIL DIAMETER	3.2 mm	2.5mm	4 mm	3.2 mm	5.4 mm
FIELD OF VIEW	119 m @ 1000 m / 357 ft @ 1000 yds (6.8°)	105 m @ 1000 m / 315 ft @ 1000 yds (6.0°)	130 m @ 1000 m / 387 ft @ 1000 yds (7.4°)	106 m @ 1000 m / 315 ft @ 1000 yds (6°)	130 m @ 1000 m / 394 ft @ 1000 yds (7.5°)
CLOSE FOCUS (MINIMUM FOCAL LENGTH)	4 m / 13 ft	4 m / 13 ft	2.8 m / 9.3 ft	2.8 m / 9.3 ft	2 m / 6.6 ft
NUMBER OF LENSES	6 pieces / 4 groups	6 pieces / 4 groups	6 pieces, 4 groups	6 pieces, 4 groups	6 pieces, 4 groups
LENS COATING TYPE	Fully Multi-Coated	Fully Multi-Coated	HiFi Fully Multi-Coated	HiFi Fully Multi-Coated	HiFi Fully Multi-Coated
PRISM TYPE	Roof / BaK4	Roof / BaK4	Roof / Coated BaK4	Roof / Coated BaK4	Roof / Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)
FOG PROOFING	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	±3°, Right Eye	±3°, Right Eye	±3°	±3°	±3°
EYE CUP SYSTEM	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up
EYE RELIEF	10 mm / 0.4 in	10 mm / 0.4 in	16.8 mm / 0.7 in	16.8 mm / 0.7 in	20.4 mm / 0.8 in
INTERPUPILLARY DISTANCE	60 mm - 74 mm, 2.35 in - 2.9 in	60 mm - 74 mm, 2.35 in - 2.9 in	53 mm - 72 mm / 2.08 in - 2.83 in	53 mm - 72 mm / 2.08 in - 2.83 in	59 mm - 74 mm / 2.32 in - 2.91 in
DIMENSIONS	115 mm x 108 mm x 43 mm / 4.53 in x 4.25 in x 1.69 in	115 mm x 108 mm x 43 mm / 4.53 in x 4.25 in x 1.69 in	124 mm x 112 mm x 49 mm / 4.9 in x 4.4 in x 1.9 in	124 mm x 112 mm x 49 mm / 4.9 in x 4.4 in x 1.9 in	136 mm x 123 mm x 59 mm / 5.4 in x 4.8 in x 2.3 in
HEIGHT	45 mm / 1.77 in	45 mm / 1.77 in	49 mm / 1.9 in	49 mm / 1.9 in	59 mm / 2.3 in
WEIGHT	336 g / 11.85 oz	336 g / 11.85 oz	473 g / 16.7 oz	473 g / 16.7 oz	630 g / 1.4 lb
TRIPOD COMPATIBLE	No	No	Yes	Yes	Yes
RELATIVE BRIGHTNESS	10.24	5.76	16	10.24	27.56
RESOLUTION	203 mm / 8 in	203 mm / 8 in	172 mm / 6.8 in	172 mm / 6.8 in	> 108 mm / 4.37 in



Binocular Specifications

Model	FIELD ISSUE 10x42	PRO ISSUE 8x42	PRO ISSUE 10x42	ZERO ISSUE 8X25	ZERO ISSUE 10X25
OBJECTIVE LENS Ø	42 mm	42 mm	42 mm	25 mm	25 mm
EXIT PUPIL DIAMETER	4.3 mm	5.25 mm	4.20 mm	3.2 mm	2.6 mm
FIELD OF VIEW	108 m @ 1000 m / 326 ft @ 1000 yds (6.2°)	143 m @ 1000 m / 429 ft @ 1000 yds (8.17°)	113 m @ 1000 m . 342 ft @ 1000 yds (6.5°)	19 m @ 1000 m / 357 ft @ 1000 yds (6.8°)	95 m @ 1000 m / 285 ft @ 1000 yds (5.44°)
CLOSE FOCUS (MINIMUM FOCAL LENGTH)	2 m / 6 ft	2 m / 6 ft	2 m / 6 ft	2 m / 6.6 ft	2.5 m / 8.2 ft
NUMBER OF LENSES	6 pieces, 4 groups	8 pieces / 6 groups (per side)	8 pieces / 6 groups (per side)	7 pieces / 5 groups	7 pieces / 5 groups
LENS COATING TYPE	HiFi Fully Multi-Coated	Broadband Fully Multi-Coated	Broadband Fully Multi-Coated	Fully Broadband Multi-Coated	Fully Broadband Multi-Coated
PRISM TYPE	Roof / Coated BaK4	Roof / Phase Coated BaK4	Roof / Phase Coated BaK4	Roof / Phase Coated BaK4	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)
FOG PROOFING	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Nitrogen filled, sealed O-rings	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	±3°	±4°	±4°	±3°	±3°
EYE CUP SYSTEM	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up
EYE RELIEF	14.9 mm / 0.6 in	17 mm / 0.7 in	15 mm / 0.6 in	15.8 mm / 0.65 in	13.7 mm / 0.5 in
INTERPUPILLARY DISTANCE	59 mm - 74 mm / 2.32 in - 2.91 in	53 mm - 72 mm / 2.17 in - 2.87 in	53 mm - 72 mm / 2.17 in - 2.87 in	56 mm - 74 mm / 2.20 in - 2.91 in	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	136 mm x 123 mm x 59 mm / 5.4 in x 4.8 in x 2.3 in	145 mm x 129 mm x 55 mm / 5.7 in x 5.07 in x 2.16 in	145 mm x 129 mm x 55 mm / 5.7 in x 5.07 in x 2.16 in	111 mm x 74 mm x 49 mm / 4.37 in x 2.91 in x 1.93 in	111 mm x 74 mm x 49 mm / 4.37 in x 2.91 in x 1.93 in
HEIGHT	59 mm / 2.3 in	55 mm / 2.16 in	55 mm / 2.16 in	49 mm / 1.93 in	49 mm / 1.93 in
WEIGHT	630 g / 1.4 lb	680 g / 1.5 lb	680 g / 1.5 lb	350 g	350 g
TRIPOD COMPATIBLE	Yes	Yes	Yes	No	No
RELATIVE BRIGHTNESS	17.64	27.56	17.64	10.24	6.55
RESOLUTION	> 108 mm / 4.37 in	122 mm / 4.8 in	122 mm / 4.8 in	≤6.5"	≤6.5"



Binocular Specifications

Model	FACTORY ISSUE 8x42	FACTORYISSUE 10X42
OBJECTIVE LENS Ø	42 mm	42 mm
EXIT PUPIL DIAMETER	5.27 mm	4.20 mm
FIELD OF VIEW	140 m @ 1000 m / 420 ft @ 1000 yds (8°)	114 m @ 1000 m / 345 ft @ 1000 yds (6.6°)
CLOSE FOCUS (MINIMUM FOCAL LENGTH)	2 m / 6.6 ft	1.5 m / 4.9 ft
NUMBER OF LENSES	10 pieces / 7 groups	10 pieces / 7 groups
LENS COATING TYPE	Trueboost™ Fully Broadband Multi-Coated	Trueboost™ Fully Broadband Multi-Coated
PRISM TYPE	Roof / Phase Coated BaK4	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)
FOG PROOFING	Nitrogen filled, sealed O-rings	Nitrogen filled, sealed O-rings
DIOPTER SYSTEM	±4°	±4°
EYE CUP SYSTEM	Multi Stop Twist Up	Multi Stop Twist Up
EYE RELIEF	19 mm / 0.75 in	18 mm / 0.71 in
INTERPUPILLARY DISTANCE	56 mm - 74 mm / 2.20 in - 2.91 in	56 mm - 74 mm / 2.20 in - 2.91 in
DIMENSIONS	158 mm x 131 mm x 56 mm / 6.2 in x 5.2 in x 2.2 in	158 mm x 131 mm x 56 mm / 6.2 in x 5.2 in x 2.2 in
HEIGHT	56 mm / 2.2 in	56 mm / 2.2 in
WEIGHT	697g	711g
TRIPOD COMPATIBLE	Yes	Yes
RELATIVE BRIGHTNESS	27.77	17.64
RESOLUTION	≤3.89"	≤3.89"

Scopes Specifications

Model	LITE VIEW 9-27x56	LONG VIEW 20-60x85
OBJECTIVE LENS Ø	56 MM	85 mm
EXIT PUPIL DIAMETER	6.2 MM - 2.1 MM	4.3 mm - 1.4 mm
FIELD OF VIEW	78 M - 36 M @ 1000 M / 234 FT - 177 FT @ 1000 YDS	33 m - 20 m @ 1000 m / 108 ft - 60 ft @ 1000 yds
CLOSE FOCUS (MINIMUM FOCAL LENGTH)	2 m / 6.6 ft	6 m / 19.7 ft
NUMBER OF LENSES	7 pieces / 5 groups	10 pieces / 6 groups
LENS COATING TYPE	HiFi Fully Multi-Coated	Broadband Fully Multi-Coated
PRISM TYPE	Roof / XDR Prism	Roof / Phase Coated XDR Prism
WATERPROOF RATING	IPX4 - OK in a drizzle	IPX7 (1 m / 30 min)
FOG PROOFING	No	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	N/A	N/A
EYE CUP SYSTEM	Multi Stop Twist Up	Multi Stop Twist Up
EYE RELIEF	18 mm / 0.71 in	20.5 mm - 18.5 mm / 0.8 in - 0.7
INTERPUPILLARY DISTANCE	N/A	N/A
DIMENSIONS	192 mm x 120 mm x 68 mm / 7.56 in x 4.72 in x 2.68 in	413 mm x 162 mm x 100 mm / 16.26 in x 6.38 in x 3.94 in
HEIGHT	120 mm / 4.72 in	162 mm / 6.38 in
WEIGHT	560 g / 1.2 lb	1750 g / 3.86 lb
TRIPOD COMPATIBLE	Yes	Yes
RELATIVE BRIGHTNESS	38.7 - 4.3	18.06 - 2
RESOLUTION	89 mm / 3.5 in	50.8 mm / 2



Monocular Specifications

Model	ZOOM TUBE 8x32	FIELD TUBE 8x32	FIELD TUBE 10x32	ZERO TUBE 8X25	ZERO TUBE 10x25
OBJECTIVE LENS Ø	32 mm	32 mm	32	25 mm	25 mm
EXIT PUPIL DIAMETER	4 mm	4 mm	3.2 mm	3 mm	2.5 mm
FIELD OF VIEW	131 m @ 1000 m / 384 ft @ 1000 yds (7.3°)	135 m @ 1000 m / 405 ft @ 1000 yds (7.7°)	111 m @ 1000 m / 333 ft @ 1000 yds (6.3°)	119 m @ 1000 m / 357 ft @ 1000 yds (6.8°)	114 m @ 1000 m / 341 ft @ 1000 yds (6.5°)
CLOSE FOCUS (MINIMUM FOCAL LENGTH)	3 m / 10 ft	3 m / 9.8 ft	3 m / 9.8 ft	4 m / 13 ft	11.5 m / 4.9 ft
NUMBER OF LENSES	4 pieces / 2 groups	7 pieces / 5 groups	7 pieces / 5 groups	6 pieces / 4 groups	7 pieces / 5 groups
LENS COATING TYPE	Fully Multi-Coated	HiFi Fully Multi-Coated	HiFi Fully Multi-Coated	Fully Multi-Coated, ED Glass	Fully Multi-Coated, ED Glass
PRISM TYPE	Roof / BaK4	Roof / Coated BaK4	Roof / Coated BaK4	Roof / BaK4	Roof / Phase Coated BaK4
WATERPROOF RATING	IPX4 - OK in a drizzle	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)	IPX7 (1 m / 30 min)
FOG PROOFING	No	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed	Yes. Nitrogen filled, o-ring sealed.	Yes. Nitrogen filled, o-ring sealed
DIOPTER SYSTEM	N/A	N/A	N/A	N/A	N/A
EYE CUP SYSTEM	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up	Multi Stop Twist Up
EYE RELIEF	13.6 mm / 0.5 in	16.5 mm / 0.65 in	15 mm / 0.59 in	10 mm / 0.4 in	16.3 mm / 0.64 in
INTERPUPILLARY DISTANCE	N/A	N/A	N/A	60 mm - 74 mm, 2.35 in - 2.9 in	N/A
DIMENSIONS	126 mm x 69 mm x 47 mm / 4.96 in x 2.72 in x 1.85 in	129 mm x 69 mm x 47 mm / 5.08 in x 2.72 in x 1.85 in	129 mm x 69 mm x 47 mm / 5.08 in x 2.72 in x 1.85 in	115 mm x 108 mm x 43 mm / 4.53 in x 4.25 in x 1.69 in	110 mm x 44 mm x 40 mm / 4.33 in x 1.73 in x 1.57 in
HEIGHT	69 mm / 2.72 in	69 mm / 2.72 in	69 mm / 2.72 in	45 mm / 1.77 in	44 mm / 1.73 in
WEIGHT	215 g / 7.6 oz	240 g / 8.5 oz	240 g / 8.5 oz	336 g / 11.85 oz	205 g / 7.2 oz
TRIPOD COMPATIBLE	Yes	Yes	Yes	No	No
RELATIVE BRIGHTNESS	9	16	10.8	10.24	6.25
RESOLUTION	178 mm / 7 in	168 mm / 6.6 in	168 mm / 6.6 in	≤8"	218 mm / 8.6 in



